REVITALIZATION MASTER PLAN

Bryant Square

PREPARED FOR:



HOWARD COUNTY
DEPARTMENT OF
PLANNING AND ZONING

PREPARED BY:

URS

4 North Park Drive, Suite 300 Hunt Valley, Maryland 21030 410-785-7220 Buant

AND SOME STATE OF THE STATE OF

MAY 15, 2003



County Executive: James N. Robey

County Council, District 4 Ken Ulman, Council Member

Jessica Feldmark, Special Assistant Mary Lorsung, Former Council Member Gail Hare, Former Special Assistant

Bryant Square Vicki Miles, Bryant Square

Revitalization Committee: Gerald Widstrom, Bryant Square

Ernest and Judy Baylor, Bryant Square

Beverly Ferrell, Bryant Square Janice Laswell, Bryant Square Lewis Mobley, Bryant Square Charles Powers, Bryant Square

Bernice Kish, Wilde Lake Community Association Carole Black, Wilde Lake Community Association Joyce Purvis, Wilde Lake Community Association

Chick Rhodehamel, Columbia Association Warren Raymond, Columbia Association

Jan Clark, Columbia Association

Carole MacPhee, Columbia Housing Corporation Jay Aymold, Columbia Housing Corporation

Bill Miller, Wilde Lake Resident

Department of PlanningMarsha S. McLaughlin, Director **And Zoning:**Elmina J. Hilsenrath, Division Cl

Elmina J. Hilsenrath, Division Chief Steven Johns, Planning Supervisor

Jessica Ritter, Planner

Contribution Staff: JoAnn Maxfield, Department of Public Works

John Byrd, Department of Recreation and Parks Mark Raab, Department of Recreation and Parks

Consultant: URS Corporation

Romaine Kesecker, RLA, ASLA Valorie L. Hennigan, ASLA



HOWARD COUNTY DEPARTMENT OF PLANNING AND ZONING

3430 Courthouse Drive ■ Ellicott City, Maryland 21043 ■ 410-313-2350

Marsha S. McLaughlin, Director

www.co.ho.md.us FAX 410-313-3467 TDD 410-313-2323

Dear Citizens of Howard County:

The Howard County Department of Planning and Zoning and its Division of Environmental and Community Planning are pleased to present this Revitalization Master Plan for Bryant Square in the Village of Wilde Lake. We hope that it will be a valuable tool and resource for Bryant Square, as well as for other communities throughout Columbia and Howard County. Revitalization is a process for renewing older neighborhoods through the cooperative efforts of residents, community leaders, local businesses, and government officials.

In working with Bryant Square, a townhouse community that was developed nearly 30 years ago, we found that many communities are dealing with similar concerns: landscaping, lighting, sidewalk linkages, pathway and pedestrian improvements, graffiti removal, erosion and drainage, property maintenance and quality of life issues. This Revitalization Master Plan and an accompanying Landscape Maintenance Manual are intended to address these concerns.

This Master Plan, prepared by our consultant URS Corporation, was initiated as a cooperative effort between County agencies, the County Council District 4 Revitalization Committee, Columbia organizations and the Bryant Square Homeowner's Association. We are grateful for their involvement in its preparation. Although begun as the vision of one neighborhood, this Plan can serve as a model or guide for aging communities throughout Columbia and Howard County.

Sincerely,

Marsha S. McLaughlin, Director

Transh S. In leyla

Department of Planning and Zoning

TABLE OF CONTENTS

	Page
1.0 Introduction	1
1.1 Methodology	
1.2 Cost Estimate and Phasing	2
1.3 Project Information	9
2.0 Federica Conditions	10
2.0 Existing Conditions	
2.1 Main Entrance	
2.2 Southern Boundary Area	
2.3 Western Boundary Area.	
2.4 Northern Boundary Area	
2.5 Daystar Court Area	
2.6 Nightmist Court Area	
2.7 Parking Areas	20
3.0 Revitalization Master Plan	21
3.1 Introduction.	21
3.2 Main Entrance Area	21
3.3 Southern Boundary Area	
3.4 Western Boundary Area	
3.5 Northern Boundary Area	
3.6 Daystar Court Area	
3.7 Nightmist Court Area	
3.8 Parking Areas-Daystar Court and Nightmist Court	
·	
4.0 Future Recommendations	31
4.1 Utility As-built Drawing	31
4.2 Contact Information	31
4.3 Drainage and Settling Issues	31
5.0 Plant Material	33
5.1 Plant Removal.	
5.1.1 End of Useful Life Cycle	
5.1.2 Invasive Plant Management	
5.2 Landscape Material Inventory	
5.2 Landscape Material Inventory	
6.0 Best Management Practices for Runoff	
6.1 Infiltration	
6.1.1 Infiltration Trench	
6.1.2 Infiltration Gallery	
6.1.3 Dry Wells	
6.2 Diversion	45
6.3 Grass and Vegetated Swales	45
6.4 Bioretention	45
6.5 Storage and Release	47
6.6 Selecting BMP's	47
References	48
Photo Credits	
Appendices:	
Appendix A – Contact Information	

LIST OF FIGURES

Figure Number	<u>Title</u>	On or Following Page
1	Bryant Square Existing Conditions Plan	10
2	Bryant Square Key Map - Main Entrance Area	11
3	Entry Sign	11
4	Key Map – Southern Boundary Area	12
5	Slope Between Trail and Property Boundary Showing	
	Worn Pedestrian Paths	13
6	View of Outfall in Southern Boundary Area	14
7	Eroded Slope Between Nightmist Units 10307 and 10311	
8	Key Map – Western Boundary Area	
9	View of Western Boundary Area	
10	Key Map – Northern Boundary Area	
11	Erosion and Runoff Behind Daystar Unit 10316	
12	Key Map – Daystar Court Area	
13	Key Map – Nightmist Court Area	
14	Wooden Steps Undermined and Eroded Slope	
15	Parking Area Nightmist Court	
16	Bryant Square Landscape Revitalization Master Plan	
17	Key Map – Main Entrance Area	
18	Key Map – Southern Boundary Area	
19	Examples of a Bioretention Amenity	
20	Key Map – Western Boundary Area	
21	Example of a Community Garden	
22	Key Map – Northern Boundary Area	
23	Fence Option Located Along Property Line	
24	Fence Option Two Enclosing Common Area	
2.	Between Roslyn Rise Townhouses	27
25	Key Map – Daystar Court Area	
26	Key Map – Nightmist Court Area	
27	4"x4" Tile Pattern	
28	Color Palette	
29	Alternative Parking Island Design for	
2)	Daystar and Nightmist Court Plan View	30
30	Alternative Parking Island Design for	
30	Daystar and Nightmist Court Section	30
31	Austrian Pine	
32	Flowering Crabapple	
33	Oriental Cherry	
34	Autumn Olive	
35	Burning Bush	
36	Running Bamboo	
37	Norway Maple	
38	Infiltration Trench	
39 40	Infiltration Gallery Dry Well	
	Example of Bioretention System	
41	1	
42 43	Example of a Rain Garden	
43	Example of a Rain Barrel	4/

REVITALIZATION MASTER PLAN

1.0 INTRODUCTION

The Howard County Department of Planning and Zoning, Division of Environmental and Community Planning, initiated a study to assist the Bryant Square Homeowners Association (HOA) in revitalizing their property. URS Corporation (URS) was asked to develop and provide the following services:

- Preparation of base mapping for use in the study
- Site inventory and analysis of Bryant Square
- Development of a Concept Plan and recommendations
- Development of a Revitalization Master Plan with cost estimates
- Preparation of a separate Landscape Maintenance Manual

1.1 Methodology

Howard County's Department of Planning and Zoning, Division of Environmental and Community Planning, and URS met with members of County Council – District 4, Bryant Square Homeowners Association, the Columbia Association Wilde Lake Village Association, and the Columbia Housing Corporation to discuss the purpose, content, goals, and use of the revitalization master plan and landscape maintenance manual for Bryant Square. The project process began with a kick-off meeting with the stakeholders to discuss the goals and objectives for the Revitalization Master Plan and Landscape Maintenance Manual. A thorough site analysis to gather information and prepare base maps was conducted. Analysis of the existing site conditions was synthesized into an existing conditions plan. The Existing Conditions Plan (see **Figure 1**) identified four general areas of concern:

- Storm drainage and erosion issues
- Pedestrian circulation
- Vehicular and pedestrian
- Landscape plant material

Recommendations and alternatives were developed to improve the existing conditions and were synthesized into the Revitalization



Master Plan. The Revitalization Master Plan was presented to Howard County, the Bryant Square Homeowners Association, and other interested stakeholders including the Council Member – District 4, the Columbia Housing Corporation, the Wilde Lake Village Association, and the Columbia Association for review and comment in March 2003.

The separate Landscape Maintenance Manual was derived from the Revitalization Master Plan to provide maintenance practices and guidelines to implement the recommendations as well as provide on-going maintenance practices to sustain the implemented revitalization plan.

The Revitalization Master Plan includes recommendations for correcting erosion and drainage issues, improving and directing pedestrian circulation, maintaining pavement for both vehicular and pedestrian traffic, and protecting and revitalizing the landscape and plant material located in the common areas of Bryant Square. The revitalization plan identifies opportunities and recommends alternatives for project requirements and goals as appropriate.

1.2 <u>Cost Estimate and Phasing</u>

A cost estimate with phasing schedule was developed for the recommended improvements. The cost estimate is the probable cost, in 2003 dollars, of implementing the recommendations, also providing prioritization of implementation:

Priority A – Immediate Implementation of 1-3 Years Priority B – Intermediate Implementation of 3-5 Years Priority C – Long-Term Implementation of 5-10 Years

The base cost to implement the above is shown in the cost estimate, including costs for alternate option recommendations.

The primary contacts include:

Prop. Owner-Individual Townhouse Owner HOA-Home Owners Association DPW-Howard County Department of Public Works DPR-Howard County Department of Parks and Recreation



BRYANT SQUARE REVITALIZATION MASTER PLAN COST ESTIMATE AND PHASING

URS May 15, 2003 ESTIMATE OF PROBABLE COST PRIMARY PRIORITY PRIORITY PRIORITY UNIT NUMBER PRIORITY DESCRIPTION QTY. TOTAL UNIT CONTACT PRICE ON PLAN \$750 SELECTIVE TREE TRIMMING LS \$750 HOA SUBTOTAL \$750 \$750 REMOVE JAPANESE ZELKOVA AND 1 LS \$500 \$500 2 HOA REMOVE FROM SITE, GRIND STUMP EACH 2 1/2" CAL, SHADE TREE 1 \$375 \$375 SUBTOTAL \$875 \$875 ENHANCE ENTRANCE BY CREATING NEW SHRUB BED AND FLOWER BED, REMOVE LS \$375 \$375 EXISTING VEGETATION 15" SPREAD SHRUBS EACH \$25 \$125 HOA A PURPLE CONEFLOWER, 2 YR POTS 12 EACH \$10 \$120 PANSY, 3" ROOT PLUG 24 EACH \$2 \$42 MULCH SHRUB AND FLOWER BED, 2" 40 SY \$4 \$160 DEPTH SHREDDED HARDWOOD MULCH SUBTOTAL \$822 \$822 REGRADE AREA \$300 1 LS \$300 B HOA GRASS SEED AND STRAW: SHADE-95 SY \$285 TOLERANT MIX SUBTOTAL \$585 \$585 ENHANCE ENTRANCE BY CREATING NEW SHRUB BED AND FLOWER BED, REMOVE 1 LS \$375 \$375 EXISTING VEGETATION 15" SPREAD SHRUBS EACH \$25 \$125 5 HOA PURPLE CONEFLOWER, 2 YR POTS 12 EACH \$10 \$120 PANSY, 3" ROOT PLUG 24 EACH \$42 \$2 MULCH SHRUB AND FLOWER BED, 2" 40 SY \$4 \$160 DEPTH SHREDDED HARDWOOD MULCH SUBTOTAL \$822 \$822 DAYSTAR COURT MILL I" AND OVERLAY I" ASPHALT \$7,538 3,350 SY \$2 PARKING AREAS DAYSTAR COURT REPLACE DAMAGED CURB AND GUTTER 100 LF \$19 \$1,900 HOA REMOVE AND REPLACE CONCRETE 16 EACH \$75 \$1,200 WHEEL STOPS REPAINT FIRE LANE MARKINGS 1 LS \$300 \$300 GRASS SEED AND STRAW: HEAVY-40 SY \$3 \$120 TRAFFIC MIX SUBTOTAL \$11,058 \$11,058 #1 ADD ALTERNATE: REMOVE EXISTING ASPHALT WITHIN PARKING ISLANDS AND REPLACE WITH 2,880 SF \$11 \$31,680 6 HOA / DPW 5" REINFORCED STAMPED COLORED CONCRETE INSTALL NEW STAMPED COLORED 1 LS \$16,000 \$16,000 CONCRETE IN ISLANDS SUBTOTAL \$47,680 \$47,680 REPLACE OR REPAIR TIMBER RETAINING LF Property 30 \$1.050 \$35 7 C Owner/ SUBTOTAL \$1,050 \$1,050 HOA INSTALL BEST MANAGEMENT PRACTICE LS FOR INFILTRATION FOR ROOF \$1,200 \$1,200 8 HOA DOWNSPOUTS AND DRAINAGE SWALES GRASS SEED AND STRAW: SHADE 20 SY \$60 \$3 TOLERANT MIX SUBTOTAL \$1,260 \$1,260

ITEM NUMBER ON PLAN	PRIORITY	PRIMARY CONTACT	DESCRIPTION	QTY.	UNIT	UNIT PRICE	PRIORITY A	PRIORITY B	PRIORITY C	TOTAL
226			REGRADE AREA TO DECREASE RUNOFF VELOCITY	1	LS	\$1,200	\$1,200			
9	A	HOA	GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	105	SY	\$3	\$263			
	8				SUBTOTAL	\$1,463			\$1,46	
10	Α	ноа	INSTALL BEST MANAGEMENT PRACTICE FOR INFILITRATION OF ROOF DOWNSPOUTS AND DRAINAGE SWALES	1	LS	\$1,200	\$1,200			
			GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	60	SY	\$3	\$150			
						SUBTOTAL	\$1,350			\$1,35
		- Septiment	REGRADE AREA TO DECREASE RUNOFF VELOCITY	1	LS	\$500	\$500			
11	A	ноа	GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	20	SY	\$3	\$50			
	ľ					SUBTOTAL	\$550			\$5
	- 2	REMOVE CONCRETE PAVEMENT	1,086	SF	\$ 7		\$7,602			
			AND REPLACE EXISTING CURB AND GUTTER	25	LF	\$19		\$475		
12	В	DPW	REGRADE AREA	1	LS	\$250		\$250		
			4" DEPTH TOPSOIL	120	SY	\$4		\$480		
			SOD AREA EVERGREEN TREES: 6' HT, B&F	120	SY EACH	\$5 \$175		\$600 \$525	. 7995ANU-STU-	
			212000000000000000000000000000000000000		Litera	SUBTOTAL		\$9,932		\$9,9
12	12 B DPW	DPW	#2 ADD ALTERNATE: RETAIN PORTION OF EXISTING CONCRETE TO CREATE 2 ADDITIONAL PARKING SPACES			A. C.				
W.2542		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	REMOVE CONCRETE PAVEMENT AND REPLACE EXISTING CURB AND GUTTER	926	SF	\$7		\$6,482		
			STRIPE REMAINING CONCRETE TO CREATE 2 ADDITIONAL PARKING SPACES	1	LS	\$100 SUBTOTAL		\$100 \$6,582		\$6,5
			100000000000000000000000000000000000000			SUBTOTAL		30,382		حربات
		HOA/DPW	NIGHTMIST COURT MILL 1" AND OVERLAY 1" ASPHALT PARKING AREAS DAYSTAR COURT	3,350	SY	\$2	\$7,538			
	,,,,,		REPLACE DAMAGED CURB AND GUTTER	100	LF	\$19	\$1,900			
13	A		REMOVE AND REPLACE CONCRETE WHEEL STOPS	16	EACH	\$75	\$1,200			
			REPAINT FIRE LANE MARKINGS GRASS SEED AND STRAW: HEAVY-	1	LS	\$300	\$300		SZ - SC - SWILL	
			TRAFFIC MIX	40	SY	\$3	\$120			
		2	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			SUBTOTAL	\$11,058			\$11,0
13	13 A	ноа	#3 ADD ALTERNATE: REMOVE EXISTING ASPHALT WITHIN PARKING ISLANDS AND REPLACE WITH 5" REINFORCED STAMPED COLORED CONCRETE	2,880	SF	\$11	\$31,680			
			INSTALL NEW STAMPED COLORED CONCRETE IN ISLANDS	1	LS	\$16,000	\$16,000			
			errore of			SUBTOTAL	\$47,680			\$47,68
		EESTAG	REPLACE DAMAGED OR SETTLED CONCRETE WALKWAYS	150	SF	\$9	19 23		\$1,275	- E
14	c	HOA/ Prop.Owner	REGRADE AND FILL LOW SPOTS	1	LS	\$200			\$200	
		1 top. Owner	GRASS SEED AND STRAW: SHADE TOLERANT MIX	20	SY	\$3			\$50	
						SUBTOTAL			\$1,525	\$1,5
15	٨	DPW	CLEAN DEBRIS FROM STORM DRAIN INLETS	1	LS	\$300	\$300			
55.5				_	$\overline{}$	SUBTOTAL	\$300			\$3



ITEM NUMBER ON PLAN		PRIMARY CONTACT		QTY.	UNIT	UNIT PRICE	PRIORITY A	PRIORITY B	PRIORITY C	TOTAL
		1111	EVERGREEN TREES: 6' H1	11	EACH	\$175			\$1,925	
16	С	НОА	SHRUBS: 15" SPREAD GRASS SEED AND STRAW: FULL SUN SEED	14	EACH	\$25			\$350	
			MIX	1,000	SY	\$3			\$3,000	
			Table 104		7-1-0-1	SUBTOTAL			\$5,275	\$5,275
			CONSTRUCT NEW WALKWAY BETWEEN							
		3	UNITS	125	SF	\$7	\$875			
17	A	HOA	REGRADE AREA	1	LS	\$250	\$250			
			GRASS SEED AND STRAW: HEAVY TRAFFIC MIX	39	SY	\$3	\$97			
			TROUT THE MIST			SUBTOTAL	\$1,222			\$1,222
		- 1.1111	DECRADE SWALLE TO DECREASE NUMBER							
			REGRADE SWALE TO DECREASE RUNOFF VELOCITY	1	LS	\$350	\$350			
18	A	HOA	GRASS SEED AND STRAW; SEMI SHADE TOLERANT MIX	100	SY	\$3	\$250			
			REMOVE NORWAY MAPLE AND REMOVE FROM SITE, GRIND STUMP	1	LS	\$500	\$500			
			2 1/2" CAL. B&B SHADE TREE	1	EA	\$375	\$375			
						SUBTOTAL	\$1,475			\$1,475
)——III.		REPLACE DAMAGED OR SETTLED CONCRETE WALKWAYS	150	SF	\$9			\$1,350	
	19 С Н		REGRADE AND FILL LOW SPOTS	ı	LS	\$200			\$200	
19		HOA/DPW	ADJUST WATER METERS	4	EACH	\$75			\$300	
			INSTALL FRENCH DRAIN OR YARD INLETS	3	EACH	\$1,500			\$4,500	
			GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	10	SY	\$3			\$25	2
						SUBTOTAL			\$6,375	\$6,375
20	20 A	ноа	GRASS SEED AND STRAW: HEAVY TRAFFIC MIX	190	SY	\$3	\$475			
	5		MASSET ALL			SUBTOTAL	\$475			\$475
			REPLACE CONCRETE STEPS	1	LS	\$3,750			\$3,750	
21	c	НОА	ADD HANDRAIL	120	LF	\$10			\$1,200	
			GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	80	SY	\$3	l i		\$200	
			TOLERANT WILA			SUBTOTAL			\$5,150	\$5,150
22	NA	DRP	TUNNEL LIGHTING NO COST ASSOCIATED	0	0	\$0		-	\$0	
	11.0	DIG	WITH RECOMMENDATION	v	v			5		
			***************************************			SUBTOTAL			\$0	\$0
23	23 C DP	DPW	NEW CONCRETE SIDEWALK ALONG GOVERNOR WARFIELD PARKWAY BETWEEN TWIN RIVERS DRIVE AND LITTLE PATUXENT PARKWAY (ANY REQUIRED RETAINING WALLS NOT INCLUDED)	5,040	SF	\$6			\$30,240	
			GRASS SEED AND STRAW: HEAVY TRAFFIC SEED MIX	220	SY	\$3	į.		\$660	
2			- 10000 - 10000			SUBTOTAL			\$30,900	\$30,900
			REMOVE GUY WIRE FROM PIN OAK TREE							
24	С	HOA	TRUNKS	3	EACH	\$50			\$150	
						SUBTOTAL			\$150	\$150
		,,,,,,	REGRADE SWALE INSTALL BMP TO DECREASE VELOCITY	1	LS	\$1,700			\$1,700	
25	^	ноа	GRASS SEED AND STRAW: WET AREA TOLERANT MIX	200	SY	\$3			\$500	
			- Constitut Hart			SUBTOTAL			\$2,200	\$2,200



ITEM NUMBER ON PLAN	PRIORITY	PRIMARY CONTACT		QTY.	UNIT	UNIT PRICE	PRIORITY A	PRIORITY B	PRIORITY C	TOTAL
26	В	DPW	REHABILITATE STORMWATER OUTFALL: REMOVE SEDIMENT, CLEAN-UP AND RESET RIPRAP	1	LS	\$1,700		\$1,700		1
			WET AREA SEED MIX	250	SY	\$4		\$1,000		
				200		SUBTOTAL		\$2,700		\$2,700
111 11111		1	#4 ADD ALTERNATE: CREATE SITE AMENITY BIORETENTION AREA	1	LS	\$2,000		\$2,000		
26	В	DPW	ORNAMENTAL SHRUBS	15	EACH	\$25		\$375		
			ORNAMENTAL GRASSES I GAL CONTAINER	25	EACH	\$15		\$375		
			ORNAMENTAL TREES: 2 1/2 CAL, B&B	5	EACH	\$250		\$1,250		
						SUBTOTAL		\$4,000	10000 100 (1100000 1100000 1100000	\$4,000
27	С	HOA/	NEW SIDEWALK TO CONNECT TRAIL TO ADJACENT PROPERTY	300	SF	\$ 6		**	\$1,800	
		Prop.Owner	NEW UNDERSTORY SHRUBS TO DIRECT PEDESTRIAN TRAFFIC	7	EACH	\$25			\$175	
			I DE LOTA I I I I I I I I I I I I I I I I I I I			SUBTOTAL			\$1,975	\$1,975
28	С	HOA/DRP	UNDERSTORY SHRUBS TO DIRECT PEDESTRIAN TRAFFIC	15	EACH	\$25	1		\$375	
						SUBTOTAL			\$375	\$375
29	NA	ноа	MAINTENANCE COSTS FOR OPEN SPACE ALREADY ACCOUNTED FOR IN ANNUAL LANDSCAPE CONTRACTOR'S AGREEMENT							
30	A	HOA	REMOVE EXISTING AUTUMN OLIVE	6	EACH	\$30	\$180		—	
1			ORNAMENTAL TREES: 2 1/2 CAL. B&B	3	EACH	\$250 SUBTOTAL	\$750 \$930			\$930
	7040	55.11	REMOVE EXISTING NORWAY MAPLE AND GRIND STUMP	1	EACH	\$500	\$500			
31	A	HOA	GRASS SEED AND STRAW: SHADE	100	SY	\$ 3	\$251			
			TOLERANT MIX	100	٥.	SUBTOTAL	\$751			\$751
										• • • • • • • • • • • • • • • • • • • •
32	A	НОА	REHABILITATE GRASS SWALE GRASS SEED AND STRAW: SHADE	1	LS	\$1,000	\$1,000			
	153	A HOA	TOLERANT MIX	90	SY	\$4	\$360			
			STER 11			SUBTOTAL	\$1,360			\$1,360
			RESHAPE SLOPE		LS	\$1,000	\$1,000			
33	A	HOA	SPREAD 4" TOPSOIL GRASS SEED AND STRAW; SHADE	70	SY	\$4	\$280	-		
			TOLERANT MIX	70	SY	\$4	\$280			
						SUBTOTAL	\$1,560			\$1,560
	3.816		REMOVE AND REPLACE WOODEN STEPS	1	LS	\$1,200	\$1,200			
24	040	HOA / Prop.	REGRADE SLOPE TO DIRECT RUNOFF	1	LS	\$800	\$800			
34	A	Owner / DPW	INSTALL FRENCH DRAIN OR YARD DRAIN GRASS SEED AND STRAW; SEMI SHADE	70	EACH SY	\$1,500	\$1,500			-
			TÓLERANT MIX	70	or	\$3 SUBTOTAL	\$175 \$3,675			\$3,675
						SUBTUTAL	33,073			33,075
36		шол	REGRADE AND FILL LOW SPOTS	1	LS	\$300	\$300			
35	A	HOA	GRASS SEED AND STRAW: SHADE TOLERANT MIX	10	SY	\$ 3	\$30	71112		
						SUBTOTAL	\$330			\$336

37	A	HOA/DRP HOA	REGRADE AND RESHAPE SWALE YARD DRAINS GRASS SEED AND STRAW: WET AREA MIX REGRADE AND FILL LOW SPOTS GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	1 350 1 10	LS LS SY	\$4,000 \$1,000 \$4 SUBTOTAL	\$4,000 \$1,000 \$1,400 \$6,400			
37	٨	НОА	GRASS SEED AND STRAW: WET AREA MIX REGRADE AND FILL LOW SPOTS GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	350	SY	\$4	\$1,400			
		Port Specific Co.	REGRADE AND FILL LOW SPOTS GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	1		10.4220				
		Port Specific Co.	GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	1 10	LS	SUBTOTAL	\$6,400			
		Port Specific Co.	GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	10	LS					\$6,40
		Port Specific Co.	GRASS SEED AND STRAW: SHADE TOLERANT MIX REMOVE CONCRETE FOUNDATION	10	LS	****	****	7-100000		
38	В	ноа	REMOVE CONCRETE FOUNDATION	10		\$200	\$200			
38	В	ноа			SY	\$3	\$30			
38	В	ноа				SUBTOTAL	\$230			\$230
38	В	ноа		1	LS	\$750		\$ 750		
38	В	HOA	REMOVE SHRUBS	4	EACH	\$50		\$200	ACTOR DESCRIPTION	
38	В	HOA	REMOVE TREES	3	EACH	\$150		\$450		
			SPREAD 4" TOPSOIL	75	SY	\$4		\$300		
			EVERGREEN TREES: 6' HT	5	EACH	\$175		\$875		
			ORNAMENTAL TREES: 2 1/2 CAL GRASS SEED AND STRAW: FULL SUN MIX	75	EACH	\$250 \$3		\$750 \$225		
			GRASS SEED AND STRAW; FULL SUN MIX	13	51	SUBTOTAL	1	\$3,550		\$3,55
			#5 ADD ALTERNATE:		1	SEBICIAL		33,330	5	90900
		***	CREATE COMMUNITY GARDEN				: 4		ë V	
38	В	НОА	REGRADE SLOPE	1	LS	\$1,500		\$1,500		
1			ORNAMENTAL SHRUBS: 24" HT	25	EACH	\$35		\$875		19510 ing.
				4	-	SUBTOTAL		\$2,375		\$2,37
	39 A HOA		INSTALL BEST MANAGEMENT PRACTICE FOR INFILTRATION OF ROOF	1	LS	\$1,200	\$1,200			
39		HOA	DOWNSPOUTS AND DRAINAGE SWALES REMOVE DEBRIS PILE	1	LS	\$100	\$100			
			RESHAPÉ AREA TO DIRECT RUNOFF	1	LS	\$400	\$400			
ļ			GRASS SEED AND STRAW: SEMI SHADE	430	SY	\$3	\$1,075			
	9		TOLERANT MIX	450	31	SUBTOTAL	\$2,775			\$2,77
			****			SUBIOTAL	34,773			34,11.
			GRIND TREE STUMP	1	LS	\$100		\$100		
40	В	HOA	REGRADE SLOPE	1	LS	\$500		\$500		
			GRASS SEED AND STRAW: SEMI SHADE MIX	125	SY	\$3		\$313		
			WIA			SUBTOTAL		\$913		\$913
						e dis	racous manual agradu	garage.		
			RESHAPE SLOPE	1	LS	\$1,500	\$1,500	-		
41	A	HOA	SPREAD 4" DEPTH TOPSOIL GRASS SEED AND STRAW: SHADE	150	SY	\$4	\$600		1.	
		0-2000	TOLERANT MIX	150	SY	\$3	\$375		8	
						SUBTOTAL	\$2,475			\$2,475
42	С	HOA / Prop.	REPLACE DAMAGED OR SETTLED CONCRETE SIDEWALK	120	SF	\$9			\$1,080	
		Owner	REMOVE AND REPLACE WOOD TIMBER RETAINING WALL	30	LF	\$35			\$1,050	
			RETAINING WALL			SUBTOTAL			\$2,130	\$2,130
43	В	HOA	REMOVE EXISTING AUTUMN OLIVE	6	EACH	\$30		\$180		
			ORNAMENTAL TREES: 2 1/2 CAL	3	EACH	\$250 SUBTOTAL		\$750 \$930		\$930
						SUBIOTAL		3730		9730
			REMOVE DEBRIS PILE	1	LS	\$50	\$50			
44	Α	HOA	REGRADE AREA TO DIRECT RUNOFF	1_	LS	\$500	\$500		10.10.00.00.00.00	
			GRASS SEED AND STRAW: WET AREA MIX	120	SY	\$4	\$480			
						SUBTOTAL	\$1,030			\$1,030
	2127	HOA / Prop.	INFILL AREAS WITH CONCRETE TO	11.0000		24,004				
45	В	Owner	MATCH EXISTING SIDEWALK	100	SF	\$7	1011 Unious Design	\$700		
	1	n:177167		1		SUBTOTAL		\$700		\$700

ITEM NUMBER ON PLAN	PRIORITY	PRIMARY CONTACT		QTY.	UNIT	UNIT PRICE	PRIORITY A	PRIORITY B	PRIORITY C	TOTAL
46	В	HOA	EVERGREEN TREES 6' HT, B&E	5	EACH	\$175		\$875		
	7	11.5500				SUBTOTAL		\$875		\$87
			REMOVE TEMPORARY WIRE FENCE							
			BARRIER	- 1	LS	\$50		\$50		
47	В	HOA	REMOVE EXISTING OVERGROWN JUNIPER	1	EACH	\$50		\$50		
			SHRUBS 15" SPREAD	12	EACH	\$25		\$300		
			SINCOPO IS SINCERED	- 12	Literi	SUBTOTAL		\$400		\$40
			REMOVE DEBRIS PILE	1	LS	\$50	\$50			
			REMOVE EXISTING AUSTRIAN PINES AND	2					-	1
			GRIND STUMP	1 177	EACH	\$100	\$200			
48	А НОА	HOA	RESHAPE AREA TO DIRECT RUNOFF YARD DRAIN	1	LS	\$1,000 \$500	\$1,000 \$500			
			EVERGREEN TREES 6' H1	7	EACH	\$175	\$1,225			
			GRASS SEED AND STRAW: SEMI SHADE	300	SY	\$3	\$750			
			MIX			SUBTOTAL	\$3,725			\$3,72
							55,155		ĺ	
49	A	A HOA	GRASS SEED AND STRAW: SHADE TOLERANT MIX	100	SY	\$3	\$300			
		nox	TOLERANT MIX			SUBTOTAL	\$300			\$30
						1				
		NEW FENCE OPTION 1 REMOVE EXISTING AUSTRIAN PINES	380	LF EACH	\$17 \$100	\$6,460 \$300				
		RESHAPE AREA	1	LS	\$1,500	\$1,500				
50 A		HOA	SPREAD 4" TOPSOIL	800	SY	\$4	\$3,200			
	A	HOA	EVERGREEN TREES 6' HT	5	EACH	\$175	\$875			
			ORNAMENTAL TREES 2 1/2" CAL	3	EACH	\$250	\$750			
			GRASS SEED AND STRAW: SEMI SHADE TOLERANT MIX	800	SY	\$3	\$2,000			
			TOPERANT MIX			SUBTOTAL	\$15,085	Salestonia.		\$15,08
	-	HO L M . I	W. ADD ALGEBRAY					and the state of the state of		
50	A	HOA/Roslyn Rise	#6 ADD ALTERNATE: NEW FENCE OPTION 2	140	LF	\$17	\$2,380	17		
						SUBTOTAL	\$2,380	c- <u>1</u> c		\$2,38
			RESHAPE AREA	1	LS	\$250	\$250			
			SPREAD 4" TOPSOIL	30	SY	\$4	\$120	- I		
51	20	ноа	EVERGREEN TREES 6' H7	3	EACH	\$175	\$525			
51	A		SHRUBS 15" SPREAD	7	EACH	\$25	\$175			
			GRASS SEED AND STRAW: SEMI SHADE MIX	30	SY	\$3	\$ 75			
			MIX			SUBTOTAL	\$1,145	States .		\$1,14
51	A	HOA/Roslyn Rise	#7 ADD ALTERNATE: COORDINATE NEW WALKWAY FROM ROSLYN RISE UNITS TO PUBLIC	1	LS	\$650	\$650			
			SIDEWALK			SUBTOTAL	\$650	41 2 3		\$656
MISC		ноа	REMOVE AUSTRIAN PINES (NOT DESIGNATED) REMOVE ORNAMENTAL CHERRY TREES	6	EACH	\$100		\$600		
			(NOT DESIGNATED)	3	EACH	\$100		\$300		
			1110			SUBTOTAL		\$900		\$90
			0.00000000				TOTAL PRIORITY A	TOTAL PRIORITY B	TOTAL PRIORITY C	GRAND TOTAL
				В	ASE C	OST TOTAL	\$75,250	\$21,485	\$57,105	\$153,839
				LTERN	IATE N	NET TOTAL sylded by alternates)	\$43,709	\$555	\$0	\$44,264
		l menora	200			AND TOTAL	\$118,959	\$22,040	\$57,105	\$198,103

1.3 **Project Information**

Project Name: Bryant Square Revitalization Master Plan

Total Acreage: 10.2 acres

Total Units: 88 Townhouses

Total Parking: 188 Total Parking Spaces (Private and

Common)

Parking Summary

Daystar Court:

Privately owned parking spaces 8

Common parking spaces 67

Total spaces Daystar Court 75

Nightmist Court:

Privately owned parking spaces 8

Common parking spaces 105

Total spaces Nightmist Court 113

2.0 EXISTING CONDITIONS

The existing conditions plan (**Figure 1**) is presented in both graphic and written form in this report. To simplify coordination between the graphic plan and written report, Bryant Square has been divided into seven separate areas. A key plan has been included for each area in the written plan, which corresponds directly to the graphic plan. These delineated areas are as follows:

- Main Entrance Area
- Southern Boundary Area
- Western Boundary Area
- Northern Boundary Area
- Daystar Court Area
- Nightmist Court Area
- Parking Areas

The Main Entrance Area includes the landscaped areas between Twin Rivers Road and the privately owned units 10280-10229 Daystar Court and units 10284 and 10800 Nightmist Court.

The Southern Boundary Area is the large open area between the Nightmist units, the Century Plaza property boundary, and the existing entrance at Governor Warfield Parkway.

The Western Boundary Area includes all the common areas along the Western Boundary Area and behind the units backing the trail down to the stand of white pine trees adjacent to the Nightmist Court units 10343 and 10339.

The Northern Boundary Area is bounded by the property line between Bryant Square and Roslyn Rise, the area between the units fronting Twin Rivers Road, and the area between the units fronting the parking area of Daystar Court, and the end of unit 10316.

Daystar Court Area includes all the common areas between the units of Daystar Court.

The Nightmist Court Area includes all the common areas between the units of Nightmist Court.

The Parking Areas includes both the private and common parking spaces for both Daystar and Nightmist Courts.



The Existing Conditions Plan identifies conditions observed at Bryant Square during the site inventory and analysis performed in December 2002. The site inventory and analysis identified four general areas of concern:

- Storm drainage and erosion
- Pedestrian circulation
- Vehicular and pedestrian pavement
- Plant material

2.1 <u>Main Entrance Area</u>

The Main Entrance Area (See **Figure 2**) of Bryant Square is marked by an entry sign, which is visible from both directions along Twin Rivers Road (See **Figure 3**). There are two existing flower beds on each side of the entrance drive. The flower bed on the south side, directly under the Bryant Square sign is planted with Iris and Liriope. There is space within the flower bed for planting of spring and summer annuals. The flower bed on the north side is a small oval-shape bed, which is currently planted with Cone Flower and has space for spring and summer annuals. Directly to the north east of this flower bed is a utility box positioned within a shrub bed. It is currently planted with deciduous shrubs, which had been disturbed by recent utility work.



Figure 2: Key Map
Main Entrance Area



Figure 3: Entry Sign



The area north of the entrance in front of Daystar unit 10290 and the property line was undergoing utility work. The existing trees in front of Daystar Court unit 10280 are in excellent condition with the exception of the Japanese Zelkova, which is in very poor condition as it has developed a fissure. The fissure is splitting the tree. Although the tree has been cabled for self-support, its position adjacent to the walkway and near the residential units presents a safety concern. The utility work has disturbed the existing soil and topography in the area. There is a utility box located in front of Daystar unit 10290, which has been recently disturbed. The shrubs growing around this utility box have also been disturbed.

The open space and perimeter screening along Twin Rivers Road is in excellent condition. The concrete fire access lane at the corner of Twin Rivers Road and Governor Warfield Parkway is no longer needed, according to the County staff.

A worn and denuded pedestrian path exists due to walk-through traffic leading from the end unit of Roslyn Rise to the sidewalk at the north boundary of the common area fronting Twin Rivers Road.

2.2 Southern Boundary Area

The Southern Boundary Area is primarily a large open space, which gently slopes from southwest to northeast (See **Figure 4**). The trail wraps around this open space and terminates at the pedestrian tunnel under Governor Warfield Parkway. The slope between the trail and the property boundary is in fair condition, but has worn pedestrian paths used as a cut-through to the adjacent property (See **Figure 5**).

There is no sidewalk along Governor Warfield Parkway fronting Bryant Square. The stand of White Pines and slope between the southern property boundary and the pedestrian tunnel entrance is in excellent condition. The lighting in the tunnel may be insufficient and recent utility work on the slope adjacent to the entrance has caused sediment to be deposited in the tunnel. The slope between the tunnel and Twin Rivers Road is in good condition with minor surface erosion due to worn pedestrian paths from walk-through pedestrian traffic. The open space has a stand of White Pines, which screens Nightmist units 10339 to 10331 from the trail and high school and is in excellent condition.




Figure 4: Key Map Southern Boundary Area

There is a grass swale running between the White Pines and the property fences which discharges the runoff from the Western Boundary swale to the outfall at the northeast end on this area (See **Figure 6**). The swale is eroded and lacks vegetation. There is a stand of Autumn Olives located off the back of Nightmist Court units 10339 to 10331, which are listed on the Maryland Department of Natural Resources Invasive Species List (See Landscape Maintenance Manual Section 14). There is surface erosion of the grass area behind units 10339 and 10337, which is caused by the dense shade cast from the White Pines and the Norway Maples and Sycamores located in this area. There is also a utility box located adjacent to the Norway Maples in the common area.



Figure 5: Slope Between Trail and Property Boundary Showing Worn Pedestrian Paths

There are five Pin Oaks adjacent to the White Pine stand. Guy wire used to stake the trees when planted, but not removed, has girdled three of the Pin Oaks.



Figure 6: View of Outfall in Southern Boundary Area

At the back of Nightmist Court units 10321 to 10327 is an eroded swale caused by runoff with high velocity. The roof drains from these units and from unit 10331 are contributing to the runoff and velocity in the swale. The outfall area is in fair condition due to erosion and clogged storm drains.

The concrete steps leading from the Nighmist Court units to the pedestrian tunnel are settling and have a pronounced tilt toward the east. The slope to the east of these steps has been recently disturbed by utility work.

Behind Nightmist Court units 10311 and 10317 is a lawn area, which is in excellent condition. Between Nightmist Court units 10307 and 10311 the slope is in poor condition due to erosion caused by pedestrian traffic, dense shade, and runoff velocity (See **Figure 7**). The swale behind Nightmist units 10311 and 10317 is in fair condition due to erosion caused by runoff velocity and lack of vegetation to stabilize the slope.



Figure 7: Eroded Slope Behind Nightmist Units 10307 and 10311

2.3 <u>Western Boundary Area</u>

Figure 8 on the key map indicates the limits of the Western Boundary Area. A grass swale runs from north to south along its entire length of the adjacent trail (See **Figure 9**). A debris pile temporarily dams the runoff at the northern end of the swale adjacent to Daystar Court unit 10316. There is evidence that the velocity of runoff is high due to the erosion and gullying along its length. The existing grass is bent from the flow of the runoff. There are three Autumn Olives growing along the trail, which are listed on the Maryland Department of Natural Resources Invasive Species list.

There is a steep hill formed adjacent to the Daystar Court unit 10319 which recently had a large shade tree removed. The tree stump has new water sprouts forming at its base. The grass is thin with bare patches.




Figure 8: Key Map Western Boundary Area



Between Daystar Court units 10315 and 10309 and the Nightmist Court units 10338 and 10330 the area forms a shallow depression where runoff ponds.



Figure 9: View of Western Boundary Area

The roof downspouts daylighting directly into the depression compounds the runoff ponding. There is a debris pile, which temporarily dams the runoff adjacent to Nightmist Court unit 10338. The swale ends adjacent to Nightmist units 10343 and 10339, where it forms a low depression.

The concrete foundation of an old storage shed is located adjacent to the trail with Yew and Viburnum shrubs around the perimeter. This foundation is no longer used by the residents of Bryant Square and has on several occasions, been observed as a gathering area for non-residents using the trail or walking through the complex.

Adjacent to Nightmist unit 10338 there is a worn path leading from the end of the existing concrete walk to the trail.




Figure 10: Key Map Northern Boundary Area

2.4 Northern Boundary Area

This area (See **Figure 10**) has severe erosion problems. Most of the problems are related to the worn and denuded paths created by pedestrians walking through Bryant Square and Roslyn Rise. The area directly behind and to both sides of Daystar Court units 10294 and 10304 is severely eroded. Compounding the erosion caused by foot traffic is the depressed ground, which acts as a swale channeling water toward the low spot behind Daystar unit 10316 (See **Figure 11**).



Figure 11: Erosion and Runoff Behind Daystar Unit 10316

A debris pile in the low spot acts like a dam blocking runoff. The runoff is channeled across the northwest corner of Daystar Court unit 10316. The roof downspouts daylighting just beyond the private backyard fences increases the runoff volume and velocity.

There are utility boxes located throughout the area with exposed cable visible. Several Austrian Pines within this area are showing signs of disease and are at the end of their useful life span.




Figure 12: Key Map Daystar Court Area




Figure 13: Key Map Nightmist Court Area

2.5 Daystar Court Area

Figure 12 shows the Daystar Court Area. There are two wooden retaining walls that appear to be overturning along the concrete sidewalks adjacent to Daystar Court units 10285 and 10305, respectively.

Adjacent to Daystar Court unit 10310 the concrete is settling and the grass is worn due to walkthrough traffic. Adjacent to Daystar units 10314 and 10320 is a uniquely shaped area of grass, concrete pavers, and sidewalk. The existing configuration is in fair condition as pedestrians cut across the grass area causing the area to become compacted and eroded.

A temporary fence has been erected adjacent to unit 10309 consisting of stakes and wire. The Juniper in the shrub bed is overgrown. The wood timber planter adjacent to Daystar Court unit 10309 is in good condition. The slope adjacent to the planter box is only in fair condition due to runoff velocity and worn paths from pedestrian walk through traffic.

2.6 Nightmist Court Area

Figure 13 shows the Nightmist Court area. The courtyard between Nightmist Court units 10327 and 10317 is in fair condition. The concrete sidewalk and several water meters appear to be settling, which creates low spots for runoff to pond. The concrete sidewalk in front of Nightmist Court unit 10305 appears to be settling. There are several low spots in the area.

The wooden steps and slope between Nightmist Court units 10327 and 10331 is in poor condition (See **Figure 14**). The wooden steps are being undermined and the slopes are eroded due to excessive runoff.

The central courtyard between Daystar Court and Nightmist Court units 10301 and 10314 is in good condition. The open space behind units 10289 and 10314 is in fair condition due to erosion caused by runoff velocity and is compounded by roof downspout discharge. The runoff cascades over the wooden retaining wall before flowing into the Nightmist Court parking area.



Figure 14: Wooden Steps Undermined and Eroded Slope

At both ends of units 10284 and 10294 the open space is in poor condition due to erosion creating gullies caused by runoff velocity and lack of vegetation stabilizing the soil. Roof downspouts daylighting just beyond the private property compounds the runoff problem.

The area behind Nightmist Court units 10324 and 10325 and adjacent to unit 10330 is in good condition. There is a worn path in this area due to walk though pedestrian traffic.

2.7 Parking Areas

The asphalt parking areas in Daystar Court and Nightmist Court are in fair condition at the time of the site visit. (See **Figure 15**). The County-owned roadway was resurfaced in Spring 2003. The flush concrete curb and gutters are in good condition. The concrete wheel stops along the center-parking islands are damaged. The fire lane markings are worn and faded. The grass islands are only in fair condition due to surface erosion, debris, and empty homeowner trash cans blowing around the area. Some of the street signs are oriented incorrectly and the parking signs are inconsistent in design, size and placement.

Some of the planter areas around the parking area have had vegetation recently removed. The soil is disturbed and in some places bare soil is exposed.



Figure 15: Parking Area Nightmist Court

3.0 PROPOSED REVITALIZATION MASTER PLAN

3.1 <u>Introduction</u>

The Revitalization Master Plan (See Figure 16) addresses all conditions observed and documented in the Existing Conditions Recommendations for correcting and improving erosion problems, drainage, vehicular and pedestrian circulation, landscape plant materials and pavement aesthetics should be coordinated with Wilde Lake Community Association, the Columbia Association, Howard County, utility companies, and other agencies required. Before beginning work proposed on recommendations, permission from all governing agencies should be obtained where appropriate.

The Revitalization Master Plan is presented in both graphic and written form in this report. To simplify coordination between the graphic plan and written report, Bryant Square has been divided into seven separate areas. A key plan has been included to each delineation area in the written plan, which corresponds directly to the graphic plan. These delineated are as follows:

- Main Entrance Area
- Southern Boundary Area
- Western Boundary Area
- Northern Boundary Area
- Daystar Court Area
- Nightmist Court Area
- Parking Areas

3.2 Main Entrance Area

Figure 17 shows the Main Entrance Area. The flower beds on the north and south side of the entry drive should be reshaped to form a symmetrical flower bed. Remove and replace the existing shrubs with a combination of dwarf shrubs, ornamental grasses, perennials, and provide space for planting spring and summer annuals. This new planting bed will provide screening of the utility box and provide a more visual sense of arrival for Bryant Square. The flower beds do not impact sight distance needed for motorists. The flower bed on the south side of the entrance drive should be planted with corresponding dwarf shrubs, ornamental grasses, perennials, and provide space for planting annual spring




Figure 17: Key Map Main Entrance Area



and summer flowers. The existing perennials could be transplanted within the new bed as desired.

Once the current utility work has been completed, regrade the area disturbed and seed with a semi-shade tolerant grass mix to reestablish the turf and stabilize the soil. Remove and replace the shrubs screening the utility box with ornamental grasses. Ornamental grasses can be temporarily relocated during future utility work with minimal disturbance.

Remove and replace the Japanese Zelkova that has structured cabling with a replacement shade tree (See Section 3.0 of the Landscape Maintenance Manual). Regrade the area and seed with a semi-shade tolerant grass mix to re-establish the turf and stabilize the soil. (See Landscape Maintenance Manual Section 6.4 for Seed Mixes)

Limb-up the trees along Twin Rivers Road to maintain sight distance for motorists, to 14' maximum, or as required. Maintain the open space and perimeter landscaping.

Remove the former fire access concrete pavement, regrade the area, spread 4" topsoil, and sod with a full-sun heavy traffic grass. Plant additional evergreens to screen Bryant Square. An alternative recommendation is to retain the concrete adjacent to Daystar Drive to create two additional parking spaces. Remove the remaining concrete and install sod and evergreen plantings for screening.

Coordinate with Roslyn Rise for connecting the existing public sidewalk to the Roslyn Rise townhouses. Install shrub and evergreen plantings to deter walk-through traffic between the Roslyn Rise townhouses and Bryant Square. Regrade the disturbed area, spread 4" of topsoil and overseed with a semi-shade tolerant grass mix to reestablish the turf and stabilize the soil.

3.3 Southern Boundary Area

Figure 18 shows the Southern Boundary Area. Maintain the White Pines on the west and east side of this area and the open space as an amenity for Bryant Square residents. Remove the unused guy wire from the Pin Oak tree trunks and replace trees as they die or become diseased.




Figure 18: Key Map Southern Boundary Area



Remove the Autumn Olives, which are listed on the Maryland invasive species list. Replace with ornamental trees.

Regrade the slope adjacent to Nightmist Court unit 10339, spread 4" topsoil and plant with a shade tolerant grass seed mix for slope stabilization.

Rehabilitate the swale between the White Pines and the townhouse fences. Overseed with a wet-area, shade-tolerant grass mix to stabilize the swale.

Remove and replace the Norway Maple behind Nightmist Court unit 10339 with another shade tree, aerate to loosen the compacted soil and seed with a shade-tolerant grass mix. Remove the three invasive Autumn Olives.

Rehabilitate the stormwater outfall, remove sediment, clean, remove, and reset riprap as required. Seed with a wet-area grass mix to stabilize the slope.

An alternative recommendation is to create a site amenity bioretention area at the stormwater outfall (See **Figure 19**). See Section 6 for explanation of bioretention facilities.





Figure 19: Examples of a Bioretention Amenity

Underplant vegetated slopes between trail and property boundary to direct pedestrian traffic along trail with shrubs and small flowering trees. Consider installing a paved path connecting Bryant Square to the Century Plaza property for trail access.

Investigate increasing illumination and monitoring the need for bulb replacement when required in the tunnel. Investigate the installation of a sidewalk along Governor Warfield Parkway between Twin Rivers Road and Little Patuxent Parkway.



Rehabilitate the swale with BMP's (See Section 6 Best Management Practices for Runoff) to decrease runoff velocity behind Nightmist Court units 10327 and 10321. Regrade area and seed with a wet-area, semi-shade tolerant grass mix to stabilize the swale.

Replace concrete walk, fill in low spots, adjust water meters and install French drains, as needed to direct runoff in the courtyard between Nightmist Court units 10327 and 10317. Replace concrete steps leading from the courtyard to tunnel entrance. Add handrail, regrade slope, and seed with a shade tolerant grass mix to stabilize slope.

Construct a walkway between Nightmist Court units 10311 and 10307 to allow access to the lawn area. Regrade area, spread 4" topsoil and seed with a semi-shade grass mix to stabilize the slope. Regrade swale to decrease runoff velocity. Seed with a semi-shade grass mix to stabilize slopes. Plant trees and shrubs to direct pedestrian traffic to walkways. Remove the Norway Maples and replace with shade trees.

3.4 Western Boundary Area

Figure 20 shows the Western Boundary Area. Remove the debris pile and regrade the area between the low point at the northern end of the area and the swale along the trail to direct runoff and decrease velocity. Coordinate maintenance of low area with the adjacent property owner. Rehabilitate swale with Best Maintenance Practices (BMP's) along length of trail to decrease the velocity of runoff. Reshape swale as needed. Overseed with wet area grass mix to stabilize swale.

Remove the debris pile and regrade the area between Daystar units 10315 and 10309 and Nightmist units 10338 and 10330 to redirect runoff and decrease the velocity. Install BMP's to reduce runoff velocity, regrade area and overseed with a semi-shade tolerant grass mix to stabilize the soil.

Remove the three invasive Autumn Olives adjacent to the trail. Remove the Austrian Pines in this area as they are near the end of their useful life span and are susceptible to pests and disease as they decline. Grind the tree stump adjacent to Daystar unit 10319 to 4" below grade.




Figure 20: Key Map Western Boundary Area

Regrade the slope to eliminate humps and to form gentle terraces to decrease runoff velocity. Overseed with a semi-shade tolerant grass mix to stabilize soil.

Remove the concrete foundation adjacent to the trail. Also remove the shrubs and Austrian Pine in this area. Regrade the area and overseed with a full-sun grass mix to stabilize the soil. Regrade the worn path to loosen soil, spread 4" topsoil and seed with a full-sun grass mix to stabilize the soil. Install new tree and shrub plantings along trail to direct pedestrian traffic along trail and deter walk-through traffic in Bryant Square.

An alternative for this area is to create a community garden with plots (See **Figure 21**) for residents. Install additional plant material to direct pedestrian traffic along trail and deter walk-through traffic into Bryant Square.



Figure 21: Example of a Community Garden

Screen the walkway, adjacent to Daystar unit 10320, with additional evergreens to deter walk-through traffic from the high school into Bryant Square.




Figure 22: Key Map Northern Boundary Area

3.5 Northern Boundary Area

Figure 22 shows the Northern Boundary Area. To prevent continued erosion of soil and off-site pedestrian usage from using Roslyn Rise and Bryant Square as a short cut to other areas of Columbia, it is recommended that a physical barrier be erected between the two properties. A fence has been proposed along the property boundary and agreed to by both Roslyn Rise and Bryant Square according to representation of Bryant Square. One option is to install a 6-foot high fence along the property line that would extend toward Twin Rivers Road on the east and to the just beyond the townhouse on the west (See **Figure 23**).




Figure 23: Fence Option Located Along Property Line

An alternative recommendation is to install a 6-foot high fence between the two Roslyn Rise townhouse blocks backing the property line between Roslyn Rise and Bryant Square (See **Figure 24**). The existing site conditions indicate that pedestrians are traveling in a north-south direction between the two complexes and around units 10294 and 10304 and into the Daystar Court parking area.

There is no indication that pedestrians are traveling east to west along the shared property boundary to the extent of creating worn paths. By attaching the fence to the existing private property fences of Roslyn Rise, pedestrian walk-through traffic would be redirected north of the property onto existing public sidewalks. Additional evergreen plantings at the east and west end of this area, will create the illusion that the fence prevents any throughaccess, and will help redirect this unwanted traffic.




Figure 24: Fence Option Two-Enclosing Common Area Between Roslyn Rise Townhouses



Remove and replace the Austrian Pines as they are near the end of their useful life span and are susceptible to pests and disease as they decline. Regrade this area to direct runoff away from private property and toward the west property boundary. Install Best Management Practices (BMP's) for infiltration of roof downspouts and drainage swales. Remove the debris pile and regrade the area to direct runoff toward the low areas on the west side of the property. Coordinate regrading with private residence (unit 10316 Daystar Court). Coordinate utility box maintenance with cable and other utility companies to monitor and maintain cable connections and bury exposed cable when necessary. Regrade the area disturbed and seed with a semi-shade tolerant grass to reestablish the turf and stabilize the soil.




Figure 25: Key Map Daystar Court Area

3.6 Daystar Court Area

Figure 25 shows the Daystar Court Area. Remove the temporary fence adjacent to Daystar Court unit 10309. Remove the overgrown Juniper and replant shrub bed to direct pedestrians to concrete walkway. Replace or repair wooden retaining wall adjacent to units 10285 and 10305 respectively that appears to be overturning. Replace the concrete sidewalk where settling as necessary between Daystar Court units 10310 and 10315. Fill-in low spots in lawn areas and overseed with a shade tolerant grass seed mix.

Remove grass areas and install concrete paving to match existing condition in front of Daystar Court unit 10314. Clean storm drain inlets of debris. Reshape slope between Daystar Court units 10301 and 10309 to decrease runoff velocity. Spread 4 inches of topsoil and plant area with shade tolerant grass seed mix.




Figure 26: Key Map Nightmist Court Area



Figure 27: 4" X 4" Tile Pattern

3.7 Nightmist Court Area

Figure 26 shows the Nightmist Court Area. Clean storm inlets and piping of dirt and debris. Replace concrete walk in front of Nightmist Court unit 10305. Fill low spots to direct runoff toward roadway. Between Nightmist Court units 10331 and 10327, remove and replace wooden steps and walkway remove at least a portion of the existing privacy fence, retaining wall, boardwalk and riprap, install new retaining wall at 10327, and stabilize slope by regarding and place new soil and sod. Regrade slope to direct runoff toward new yard inlet or french drain. Spread 4" topsoil and seed with a shade tolerant grass mix.

Install BMP's between Nightmist Court units 10294 and 10300 for infiltration of roof downspouts and drainage swales. Regrade area and fill eroded gullies. Seed with a shade tolerant grass mix. Install BMP's for infiltration of roof downspouts. Overseed with a shade tolerant grass mix. Regrade area behind Nightmist Court units 10284 and 10294 to decrease runoff velocity. Overseed area with a shade tolerant grass mix. Regrade area behind retaining wall adjacent to Nightmist Court units 10310 and 10314 to decrease runoff velocity. Overseed area with semi-shade tolerant grass seed mix for slope stabilization.

3.8 Parking Areas - Daystar Court and Nightmist Court

Figures 25 and 26 show the parking area of Daystar Court and Nightmist Court. Clean debris from storm drain inlets annually to prevent runoff from ponding. Howard County installed new paving on public roads in May 2003. Replace curb and gutter as required. Remove the concrete wheel stops and repaint fire lane markings. Re-orient and install street and parking signs with a consistent design and size. Regrade the planter areas around the parking areas and seed with a full-sun tolerant grass mix.

An alternative is to remove the existing Hot Mix Asphalt (HMA) within each center parking island and replace with colored stamped concrete. A 4"x4" tile pattern (See Figure 27) in a medium gray color for the parking stalls and a single row of 4"x4" tile in a cream or light gray color (See Figure 28) for the stall striping is recommended. See Figure 29 for the plan view and Figure 30 for the section.





Figure 28: Color Palette




Figure 29: Alternative Parking Island Design for Daystar and Nightmist Court, Plan View




Figure 30: Alternative Parking Island Design for Daystar and Nightmist Court, Section



4.0 FUTURE RECOMMENDATIONS

4.1 <u>Utility As-built Drawing</u>

Beginning in January 2003 BG&E began replacing the pedestrian lighting throughout the complex including the placement of new conduit between light poles. It is recommended that Bryant Square request "As-Built" drawings from BG&E, if available, showing the locations of the conduits and light poles. This information is important for future design and maintenance of Bryant Square.

4.2 <u>Contact Information</u>

Point of contact information between the Bryant Square Home Owners Association and the various local and county agencies, utility companies, and adjacent property owners which may need to be involved in maintenance and collaborative efforts to revitalize and maintain Bryant Square should be maintained. This includes contact person's name, mailing address, phone numbers, email and Internet addresses. **Appendix A** provides a listing of contact information current as of May 15, 2003.

4.3 **Drainage and Settling Issues**

The Bryant Square HOA is concerned about excessive runoff, ponding, settling, and erosion around Nightmist Court units 10327 to 10321 and units 10311 to 10317. Evidence of these problems include:

- Wooden steps undermined adjacent to unit 10327
- Eroded slope behind unit 10327
- Water meter settling and water ponding in the courtyard
- Eroded slope behind units 10311 to 10317

The townhouses in this area appear to be constructed on fill material. Individual homeowners have reported excessive water bills and walls perhaps indicating broken water lines, and foundation issues.

Determining the exact cause for the reported problems is beyond the scope of this plan. The recommendations proposed in this plan address surface conditions contributing to the drainage issues.

This issue may warrant further investigation of subsurface and related surface issues in order to obtain further costs and design information, which may go beyond the drainage issues discussed in this plan.

Figure 31: Austrian Pine



Figure 32: Flowering Crabapple



Figure 33: Oriental Cherry

5.0 PLANT MATERIAL

5.1 Plant Removal

There are many reasons to remove a species of plants from the landscape, including plants which are diseased, damaged, at the end of their useful life span, and are invasive plants. The landscape at Bryant Square has several plant types that fit the removal criteria. It is recommended that the Bryant Square Homeowners Association and individual property owners secure permission for removal of mature trees fitting these criteria.

5.1.1 End of Useful Life Cycle

Austrian Pine (See Figure 31) is planted throughout the site. This pine does not age well, tends to naturally lose its lower limbs, and is susceptible to Diplodia, a twig blight, that can eventually kill the tree. The trees at Bryant Square exhibit both conditions and it is recommended that all Austrian Pine be removed and replaced with alternative evergreen trees.

Flowering Crabapple (**Figure 32**) and Oriental Cherry (**Figure 33**) have a relatively short useful life in the landscape of approximately 30 years, unless meticulously maintained. Both species observed at Bryant Square are at the end of their useful life cycle, and it is recommended that they be removed and replaced with an alternate ornamental tree.



Figure 34: Autumn Olive



Figure 35: Burning Bush

5.1.2 Invasive Plant Management

Invasive plants are plant species that are not indigenous to the area where they are growing. Some are exotic species and some are native to the United States but are now distributed outside their natural range. Invasive plants are pests because they displace native species and can change the structure and composition of natural communities. They lack the competitors, diseases, and herbivores that help control their populations in their native land. Hundreds of invasive plants occur in the wild in Maryland. Most plants used in horticulture are not native to Maryland, and many can escape into the wild. However, most invasive species do not pose a serious threat to native vegetation in undisturbed areas. The following invasive plants were found growing at Bryant Square, and should be removed immediately and replaced with appropriate plant material of a similar type and form (i.e. Shade Tree, Evergreen, Ornamental):

Elaeagnus - Autumn Olive species (**Figure 34**), Euonymous alatus – Winged Euonymus or Burning Bush (**Figure 35**) and Fargesia – Running Bamboo (**Figure 36**) and Acer platanoides - Norway Maple (**Figure 37**). Where invasive species exist on private property, the Bryant Square Homeowners Association should encourage residents to replace these species as they improve or relandscape their yards.



Figure 36: Running Bamboo



Figure 37: Norway Maple



5.2 <u>Landscape Material Inventory</u>

The following inventory of plants was noted in the common areas at Bryant Square. Included with each are the botanical and common name, growth habits, known disease and pest problems, and other general information pertaining to the health and maintenance of the plant.



Norway Maple

White Ash

1. Norway Maple, Acer platanoides

Height: 40' to 75' (45' at age 30) **Width:** 30' to 60' (35' at age 30)

Description: A wide-ranging species in Europe and

western Asia that has been planted in many parts of North America. There is much variation in size, shape, and leaf color. Moderate to vigorous grow rate on various

site conditions.

Foliage: 4" to 7", green, yellow to brown in fall

greenish-yellow

Fruit: 2" samara

Pests/Diseases:

Limitations: Identified as an invasive species in

Maryland. Its heavy shade, root toxins, and root competition suppress growth around it. Leaf scorch, *Verticillium* wilt, *Ganoderma*

rot and frost cracks.

2. White Ash, Fraxinus americana

Height: 50' to 60' (45' at age 30) **Width:** 40' to 50' (30' at age 30)

Description: Selected in Illinois and introduced in 1975.

It has a compact, symmetrical crown with even branching and a deep red fall color, without the yellow or green that is common

in the species.

Foliage: Deep wine-red color in early fall

maintained until frost

Fruit: Seedless

Limitations: Sensitive to drought conditions

Pests/Diseases: Ash decline or dieback, borers, flower gall,

scale insects, sawfly, bark splitting leaf

rusts, leaf spots, and cankers





Honeylocust

3. <u>Honeylocust, Gleditsia triacanthos</u>

Height: 40' to 80' (50' at age 30) **Width:** 40' to 70' (50' at age 30)

Description: This tree is thorny, has spreading branches,

and usually a short trunk. Bark is gray to black, and separated by fissures into plates.

Rapid growth rate.

Foliage: Compound, ½" to 1 ½" leaflets, yellow in

fall, leaves fall early

Fruit: Long brown pods, but few on most

cultivars

Limitations: Intolerant to shade

Pests/Diseases: Webworm, borer, plant bugs, pod gall

midge, spider mite, leaf spot, cankers, and

powdery mildew

4. Sycamore, Platanus occidentalis

Height: 75' to 100' **Width:** 55' to 60'

Description: Large tree with massive trunk and wide-

spreading open crown of massive crooked branches. Smooth, light grayish brown exfoliating bark. Inner layers of bark are

white to creamy white.

Foliage: 4" to 9" wide, often broader than long, 3" to

5" lobed with shallow sinuses and broadtriangular lobes. Medium to dark green in Summer; Fall color is tan to brown. Leaves

emerge in late Spring.

Fruit: Multiple, globose fruit of achenes, 4/5" to

1-1/3" diameter, borne singly on a 3" to 6"

long peduncle

Limitations: None serious

Pests/Diseases: Anthracnose, leafspots, aphids, Sycamore

plant bug, Sycamore tussock moth, scales,

bagworms, borers, ad infinitum



Sycamore





Kwanzan Oriental Cherry

5. Kwanzan Oriental Cherry, Prunus serrulata

Height: 25' to 35' (30' at age 30) Width: 20' to 25' (20' at age 30)

Description: The species is native to Japan, China, and

Korea. 'Kwanzan' is the most popular cultivar, made famous by the Washington, D.C. cherry blossom displays. It is also

known as 'Sekiyama.'

Foliage: Emerges reddish copper, turning dark

green; orange-brown in fall

Flower: 2 ½" pendulous, double, deep pink

blossoms

Fruit: Fruitless

Limitations: Limited useful life of 30 years in urban

landscape

Pests/Diseases: Aphids, borers, scales, defoliating insects,

and virus diseases

6. Eastern Red Cedar, Juniperus virginiana

Height: 40' to 50' **Width:** 8' to 20'

Description: Densely pyramidal when young and

slightly pendulous in old age

Foliage: Meduim green, sage-green to blue-green in

summer often becoming bronze to yellow

in winter

Fruit: Cones globular or ovoid, up to ¼" across,

brownish violet

Limitations: None serious

Pests/Diseases: Cedar apple rust and bagworms



Eastern Red Cedar



Austrian Pine



Winged Euonymus

7. <u>Austrian Pine, Pinus nigra</u>

Height: 50' to 60' **Width:** 20' to 40'

Description: Densely pyramidal when young becoming

a large, broad, flat-topped tree with a rough, short trunk and low, stout, spreading

branches.

Foliage: Dark green

Flowers: Staminate clustered, yellow; pistillate

yellow-green

Fruit: Solitary or in clusters, sub-sessile, ovoid,

conical 2 to 3"long, 1 to 1/4" wide before

opening

Limitations: Limited useful life of 25-30 years in urban

landscape.

Pests/Diseases: Diplodia and nematodes

8. Winged Euonymus or Burning Bush, Euonymus alatus

Height: 15' to 20' **Width:** 15' to 20'

Description: Medium in leaf: mounded to horizontal,

spreading, flat-topped shrub, usually

broader than wide.

Foliage: Flat medium to dark green

Flowers: Each flower 4-pedaled, 1/4" or larger,

yellow-green, May to early June

Fruit: $\frac{1}{4}$ " to $\frac{1}{3}$ " long red capsule, September

through late fall

Limitations: Identified as an invasive species in

Maryland.

Pests/Diseases: None serious

Manhattan Euonymus

9. Manhattan Euonymus, Euonymus kiautschovicus

Height: 8' to 10' **Width:** 8' to 10'

Description: Semi-evergreen shrub of rounded habit

grown for its deep green, lustrous leaves. Plants are excellent for sheared hedges.

Excellent foundation plant.

Foliage: Good dark green in summer, but burns in

winter and looks quite unkempt

Flowers: Greenish white, 4-parted, 1/3" diameter,

borne in loose, erect, 1 1/2 to 4" wide

cymes in July-August.

Fruit: Not noticeable Limitations: None serious

Pests/Diseases: Susceptible to scale



Japanese Holly

10. Japanese Holly, Ilex crenata

Height: 5' to 10' **Width:** 5' to 10'

Description: Usually a dense, multi-branched evergreen

shrub of rounded or broad rounded outline

Foliage: Dark green

Flowers: Dull greenish white with 4 pedals
Fruit: Berry-like black drupe ¼" in diameter

Limitations: None serious

Pests/Diseases: Spider mites and nematodes



Juniper

11. <u>Chinese Juniper, Juniperus chinensis</u>

Height: 50' to 60' **Width:** 15' to 20'

Description: Tree or shrub; most typically and erect

narrow, conical tree; sometimes very slender, sometimes bushy; cultivars variable from ground covers to large, wide-

spreading shrubs.

Foliage: Green to blue-green to grayish green

Flowers: Staminate flowers yellow-brown to orange-

yellow

Fruit: Cones globose or oblong, 1/3 to 1/2" across

Limitations: Intolerant of shade
Pests/Diseases: Phomopsis and Kabatina





Description: Densely branched covered with abundant

white flowers

Foliage: Dark blue-green leaves, 1 to 1 ½" long, 3/8

to ½" wide, toothed at the rounded apex

Flowers: White flowers in small corymbs appearing

in late May into June

Fruit: None

Limitations: None serious Pests/Diseases: None serious



Snowmound



13. <u>Japanese Yew, Taxus cuspidata</u>

Height: 10' to 40' **Width:** 10' to 40'

Description: Crown erect or flattened, broad or narrow,

of irregular habitat and spreading or upright-spreading branches; can be grown

as a tree or multi-stemmed shrub.

Foliage: Dark green above and yellowish green

below

Flowers: Green from the leaf axils, opening in

March-April

Fruit: Seeds ovoid, about 1/3" long by 1/6" broad,

compressed, aril red

Limitations: None serious Pests/Diseases: None serious



Japanese Yew

14. Leatherleaf Viburnum, Virburnum rhytidophyllum

Height: 10' to 15' **Width:** 10' to 15'

Description: Upright, strongly multi-stemmed shrub.

Foliage: Dark leathery green

Flowers: Yellowish white, mid-May, 4 to 8" in

diameter

Fruit: Drupe, oval, 1/3" long, red changing to

black

Limitations: None serious Pests/Diseases: None serious



Leatherleaf Viburnum



6.0 BEST MANAGEMENT PRACTICES FOR RUNOFF


Best Management Practices (BMP's) for runoff refers to a series of practices that are designed to treat runoff on the property. The primary purpose of BMP's is to manage rooftop runoff and impervious pavement runoff. There are three primary categories: Infiltration, Diversion, and Storage.

6.1 <u>Infiltration</u>

Structures are installed on the site to infiltrate runoff and to facilitate percolation through the subsoil. Examples of infiltration structures for Bryant Square include an infiltration trench, an infiltration gallery, and a dry well.

6.1.1 <u>Infiltration Trench</u>

An infiltration trench is a long trench with a perforated pipe within a gravel guard to distribute runoff throughout the length of the trench (See **Figure 38**). Infiltration trenches are often used to capture runoff from roof drains and downspouts. The primary benefits of an infiltration trench are that the trench allows runoff to infiltrate into the subsoil thereby decreasing the velocity and volume of runoff flowing over the ground, which reduces erosion.



A SCHEMATIC OF AN INFILTRATION TRENCH (Source: MDE, 2000)

Figure 38: Infiltration Trench



6.1.2 Infiltration Gallery

An infiltration gallery (See **Figure 39**) is designed to deliver captured runoff to the subsoil through subsurface reservoirs composed of gravel. These structures are below grade (do not see them) and provide an innovative stormwater treatment in areas where space is limited.




Figure 2 - Typical Infiltration Gallery – Source: Metropolitan Washington Council of Governments, 1987

Figure 39: Infiltration Gallery

6.1.3 Dry Wells

Dry wells are stone or gravel pits (See **Figure 40**) used to infiltrate runoff from impervious surfaces (parking lots for example). Typically several shallow dry wells are installed, as they are more effective than a single large deep well. Often french drains are used as a dry well.




Figure 3 - Typical Dry Well - Source: TRPA Handbook of Best Management Practices, 1988

Figure 40: Dry Well



6.2 Diversion

Diversion uses site grading, channels, and berms to direct runoff to a designated area where the runoff can infiltrate into the subsoil. Typically, grasses swales, bioretention facilities, and filter strips are used to direct, collect, and allow infiltration within a site. Bryant Square currently has several grassed swales directing runoff toward a central outfall located in the Southern Boundary Area. From there the runoff leaves the property through the Columbia stormwater drainage system.

Grass and Vegetated Swales

Grass and vegetated swales reduce runoff velocity and increase infiltration of sediments. Compared to roadside ditches, they have a wider bottom, gentler slopes and denser vegetation. Grass and vegetated swales are good for smaller drainage areas with mildly sloping topography.

Dry Swales are engineered grass channels that provide full treatment of runoff. Dry swales are good for smaller drainage areas with mildly sloping topography. A layer of prepared sandy loam is topped by dense turf. The treated runoff is collected in an underdrain pipe system and discharged off-site. Dry swales are designed to dewater a few hours after a storm.

6.4 <u>Bioretention</u>

Bioretention systems use filtration to treat runoff (See Figure 41). These systems are modeled after the biological and physical characteristics of a natural ecosystem. Runoff is directed through swales, overland flow, and other devices into the bioretention area.




Figure 41: Example of a Bioretention System



Figure 42: Example of a Rain Garden

Since it models natural environments with trees, shrubs, grasses, and flowers, the Bioretention area often becomes a site amenity.

One such amenity is often called a rain garden (see **Figure 42**). Rain gardens are shallow depressions designed to collect rain, typically from impervious surfaces such as roofs and parking and allow plants, bacteria, and soils clean the water as it seeps its way into the ground. The site for the rain garden should be placed strategically to intercept water runoff. The first flush of runoff is ponded in the depression of the rain garden and over a short period of time the water infiltrates into the subsoil.





Figure 43: Example of a Rain Barrel

6.5 Storage and Release

Storage includes practices that hold rooftop runoff for use by the individual homeowner or slowly release it for capture in an infiltration or diversion structure. Examples of storage systems include cisterns and rain barrels (see **Figure 43**) are the simplest in design of all the on-lot treatment systems. They are available commercially and can be applied in a wide variety of site conditions.

Using a downspout disconnect system redirects rooftop runoff into infiltration trenches, grass swales, bioretention areas, rain gardens or to store in rain barrels or cisterns. One major advantage of this system is that it transports water away from the foundation of the townhouse. Existing roof drains are directed to the appropriate runoff conveyance to reduce the volume and velocity of runoff directly behind the property fences.

6.6 Selecting BMP's

Selecting the Best Management Practices appropriate for connect specific site conditions identified at Bryant Square should be done by a qualified professional during the design and development of the landscape master plan.

REFERENCES

- Dirr, Michael A., Manual of Woody Landscape Plants, 5th Edition, Stipes Publishing LLC, Champaign, IL, 1975.
- Gerchuld, Henry D., Lacasse, Norman L., Wandell, Willet N., Street Tree Factsheets, Penn State College of Architectural Sciences, 1993.
- Home and Garden Mimeo #HG88: Invasive Plant Control in Maryland, Maryland Cooperative Extension, University of Maryland, http://www.hgic.umd.edu
- Helmer, M. Jane Coleman, Ph.D, Decker Hodge, Karla S., BS, Pictorial Guide to Perennials, Merchants Publishing Company, 1996.
- Dirr, Michael A., Manual of Woody Landscape Plants, 5th Edition, Stipes Publishing LLC, Champaign, IL, 1975.
- Gerchuld, Henry D., Lacasse, Norman L., Wandell, Willet N., Street Tree Factsheets, Penn State College of Architectural Sciences, 1993.
- Hensley, David L., Professional Landscape Management, Stipes Publishing L.L.C., Champaign, Illinois, 1994.
- Home and Garden Mimeo #HG88: Invasive Plant Control in Maryland, Maryland Cooperative Extension, University of Maryland, http://www.hgic.umd.edu
- Maryland Department of The Environment, 1994 Maryland Standards and Specifications for Soil Erosion and Sediment Control, Maryland Department of the Environment Water Management Administration, 1994 www.mde.state.md.us
- Maryland Department of The Environment, 2000 Maryland Stormwater Design Manual
 Volumes I & II, Maryland Department of the Environment Water Management
 Administration, 1994 www.mde.state.md.us
- State Highway Administration, Standard Specification for Construction and Materials, Maryland
 Department of Transportation State Highway Administration, January 2001
 www.marylandroads.com



PHOTO CREDITS

http://www.cnr.vt.edu/dendro/dendrology/syllabus/gtriacanthos.htm

http://www.raingardens.org/

http://www.vdof.org/rfb/riparian/rain_gardens.htm



Howard County Government Resources:

Department of Housing and Community Development (Keeping Our Neighborhoods Beautiful: A Property Maintenance Handbook for Residents and Community Associations-Second Edition)

6751 Columbia Gateway Drive, 3rd Floor Columbia, MD 21046 410-313-6318 www.co.ho.md.us

Howard County

Department of Planning and Zoning

3430 Court House Drive Ellicott City, MD 21043 410-313-2350 www.co.ho.md.us

Department of Public Works

3430 Court House Drive Ellicott City, MD 21043 410-313-4400

www.co.ho.md.us

After Hour emergencies 410-313-2929 Environmental Services 410-313-6444 Highways 410-313-7450 Utilities 410-313-4900

Department of Recreation and Parks

7120 Oakland Mills Road Columbia, MD 21046 410-313-7275 www.co.ho.md.us

Parks and Program Services

410-313-4640 Natural Resources & Land Management 410-313-4730

Soil Conservation District

708 Libson Center, Suite E Woodbine, MD 410-489-7987

County Council Office

3430 Court House Drive Ellicott City, MD 21043 410-313-2001 www.co.ho.md.us

Columbia Resources:

Columbia Association

Welcome Center
The Columbia Association Building
10221 Wincopin Circle
Columbia, MD 21044
410-715-3000
www.columbiaassociation.com

Dorsey Search

Linden Hall 4675 Dorsey Hall Drive Ellicott City, MD 21042 410-730-4005 www.columbiavillages.org/dorseyssearch/

Harper's Choice

Kahler Hall 5440 Old Tucker Row Columbia, MD 21044 410-730-0770

www.columbiavillages.org/harperschoice/

Hickory Ridge

The Hawthorn Center 6175 Sunny Spring Columbia, MD 21044 410-730-7327 www.columbiavillages.org/hickoryridge/

Kings Contrivance

Amherst House
7251 Eden Brook Drive
Columbia, MD 21046
410-730-8113
www.columbiavillages.org/kingscontrivance

Long Reach

8775 Cloudleap Court Columbia, MD 21045 410-730-8113 www.longreach.org/

Oakland Mills

The Other Barn 5851 Robert Oliver Place Columbia, MD 21045 410-730-4610 www.columbiavillages.org/oaklandmills/

Owen Brown

6800 Cradlerock Way Columbia, MD 21045 410-381-0202 www.columbiavillages.org/owenbrown/

River Hill

6020 Daybreak Circle Clarksville, MD 21029 410-531-1749 www.columbiavillages.org/riverhill/

Town Center

5430 Vantage Point Road Columbia, MD 21044 410-730-4744 www.columbiavillages.org/towncenter/

Wilde Lake

Slayton House Wilde Lake Village Green Columbia, MD 21044 410-730-3987 www.columbiavillages.org/wildelake

Other Resources:

Howard County Cooperative Extension 3525-L Elliott Mills Drive Ellicott City, MD 21043 410-313-2707 www.agnr.umd.edu/Howard/index/cfm

Home and Garden Information

800-342-2507 www.agnr.umd.edu/users/hgic

Howard County Master Gardeners

Howard County Master Gardeners, c/o Howard County Cooperative Extension 3525 Ellicott Mills Drive Ellicott City, MD 21043 410-313-2707 www.agnr.umd.edu/howard/mg